VOLUME CONTENTS

Number 1

S. A. Spiewak — 1 Acceleration based indirect force measurement in metal cutting processes

Zhang Deyuan, Han Yuntai and Chen Dingchang — 19 On-line detection of tool breakages using telemetering of cutting forces in milling

Jih-Hua Chin and Li-Wei Lee — 29 A study on the tool eigenproperties of a BTA deep hole drill—theory and experiments

Jeong-Du Kim and Min-Seog Choi — 51 Stochastic approach to experimental analysis of cylindrical lapping process

H. G. Zhang and T. A. Dean — 61 Computer modelling of tool loads and press/tool deflections in multistage forging

J. Wang and P. Mathew — 71 Development of a general tool model for turning operations based on a variable flow stress theory

S. G. Tewani, K. E. Rouch and B. L. Walcott — 91 A study of cutting process stability of a boring bar with active dynamic absorber

S. Paul and A. B. Chattopadhyay — 109 A study of effects of cryo-cooling in grinding

N. Barlow, M. J. Jackson, B. Mills and W. B. Rowe — 119 Optimum clamping of C.B.N. and conventional vitreous-bonded cylindrical grinding wheels

Number 2

K. J. Stout — 133 Foreword and Acknowledgement

A. J. C. Brown — 135 Rapid optical measurement of surfaces

B. Griffiths, R. Middleton and B. Wilkie — 141 Three-dimensional surface measurement using light scattering

L. Deck and P. de Groot — 147 High-speed non-contact profiler based on scanning white light interferometry

Ph. Contet and J.-F. Ville — 151 Surfascan 3D—an industrial 3D surface texture characterisation instrument

M. S. Virdee — 157 Non-contacting straightness measurement to nanometre accuracy

P. H. Osanna, K. Rezaie, N. M. Durakbasa and C. P. Heiss — 165 Form measurements—a bridge between production metrology and biomechanics

X. Roizard and J. von Stebut — 169 Surface asperity flattening in sheet metal forming—a 3-D relocation stylus profilometric study

D. Darbeïda, J. von Stebut, M. Assoul and J. Mignot — 177 A multipass/scanning tribometer for on-line friction and wear mapping

K. Yanagi, N. Kobayashi and K. Kasahara — 183 The allowable spacing for lattice data sampling by a round stylus tip and an assessment of the envolope surface

D. L. Martin, A. N. Tabenkin and F. G. Parsons — 187 Precision spindle and bearing error analysis

T. Mathia, H. Zahouani, J. Rousseau and J. C. le Bosse — 195 Functional significance of different techniques for surface morphology measurements

G. Zhou, M. Leu and D. Blackmore — 203 Fractal geometry modeling with applications in surface characterisation and wear prediction

J. Lopez, G. Hansali, H. Zahouani, J. C. le Bosse and T. Mathia — 211 3D fractal-based characterisation for engineered surface topography

K. J. Stout and L. A. Blunt	219	Application of 3-D topography to bio-engineering
X. Chen, J. Raja and S. Simanapalli	231	Multi-scale analysis of engineering surfaces
T. Y. Lin, S. H. Lu and K. J. Stout	239	Model-based topography characterisation of machined surfaces in three dimensions
T. G. King and N. E. Houghton	247	Describing distribution shape: R_K and central moment approaches compared
J. M. Conway-Jones and D. R. Eastham	253	Parameters for control of roughness of surfaces operating with thin oil films
F. Robert, E. Csapo, H. Zaïdi and D. Paulmier	259	Influence of the current and environment on the superficial structure of a graphite electrical collector
W. P. Dong, E. Mainsah and K. J. Stout	263	Reference planes for the assessment of surface roughness in three dimensions
M. Vermeulen, J. Scheers, C. de Mare and B. de Cooman	273	3D-characterisation of EBT-steel sheet surfaces
E. Mainsah, W. Dong and K. J. Stout	281	Holistic calibration of three-dimensional micro-topography systems
P. Rubert	289	Some problems with the calibration of surface roughness reference specimens
P. Sullivan and C. Evans	293	A method for the spatial calibration of a commercial phase measuring interferometer—theoretical aspects
J. F. Song, F. F. Rudder Jr, T. V. Vorburger, A. W. Hartman, B. R. Scace and J. H. Smith	301	Microform calibrations in surface metrology
T. C. Ovaert and S. Ramachandra	311	The effect of controlled counterface topography on polymer transfer and wear
B.-G. Rosén, R. Ohlsson and J. Westberg	317	Interactive surface modelling, an implementation of an expert system for specification of surface roughness and topography
E. Morrison	325	A prototype scanning stylus profilometer for rapid measurement of small surface areas
J. Muhl and G. M. Alder	333	Direct printing of etch masks under computer control
M. Waplington, L. Blunt, A. D. Walmsley and P. J. Lumley	339	Dental hard tissue cutting characteristics of an ultrasonic drill
I. Aydin, B. J. Briscoe and N. Özkan	345	3-D profiles and surface topography of alumina compacts
B. Snaith, A. S. Hayward and A. Draper	353	Variation of surface topographies produced via a deburring process
G. Wei and W. Scott	357	The influence of surface roughness on the results of the Timken lubricant extreme pressure test

Number 3

L. C. Zhang	363	On the mechanism of cold rolling thin foil
L. C. Lee, X. D. Liu and K. Y. Lam	373	Determination of stress distribution on the tool rake face using a composite tool
Di Yan, T. I. El-Wardany and M. A. Elbestawi	383	A multi-sensor strategy for tool failure detection in milling
Jen-Ming Chen and Jose A. Ventura	399	Shape analysis of complex profiles
G. J. Lai and J. Y. Chang	431	Stability analysis of chatter vibration for a thin-wall cylindrical workpiece
Yi-Hua Fan and An-Chen Lee	445	Decentralized control of a rotor system supported by magnetic bearings
Erhan Budak and Yusuf Altintas	459	Modeling and avoidance of static form errors in peripheral milling of plates

HYUNG-SEOK LEE and SEUNG-WOO KIM — 477 Real-time correction of movement errors of a machine axis by multiple null-balancing using Twyman–Green interferometry

H. EKEROL and D. C. HODGSON — 487 Non-contacting control of objects by pulse width modulated air-jet actuators and optical position feedback

Number 4

H. NASRI and G. BOLMSJÖ — 503 A process model for robotic disc grinding

CHING-CHIH TAI and KUANG-HUA FUH — 511 Model for cutting forces prediction in ball-end milling

J. TOMKÓW and K. MARCHELEK — 535 Modelling cutting process in dynamic stability analysis of machine tools

V. P. ASTAKHOV, P. S. SUBRAMANYA and M. O. M. OSMAN — 547 An investigation of the cutting fluid flow in self-piloting drills

Y. S. TARNG and H. E. CHENG — 565 An investigation of stick–slip friction on the contouring accuracy of CNC machine tools

SHIUH-JER HUANG and CHUEN-CHUNG CHEN — 577 Application of self-tuning feed-forward and cross-coupling control in a retrofitted milling machine

JENQ-SHYONG CHEN — 593 Computer-aided accuracy enhancement for multi-axis CNC machine tool

J. P. WANG and Y. T. LIN — 607 The UBST approach to the stress analysis of plane-strain upsetting

ZONE-CHING LIN and WEN-SHY YANG — 619 Rolling process analysis of aluminum strip by a coupled thermo-elastic–plastic model

SHIUH-TARNG CHIANG, DING-I LIU, AN-CHEN LEE and WEI-HUA CHIENG — 637 Adaptive control optimization in end milling using neural networks

Number 5

N. RAMESH BABU and V. RADHAKRISHNAN — 661 Influence of dressing feed on the performance of laser dressed Al_2O_3 wheel in wet grinding

P. DI PIETRO and Y. L. YAO — 673 A numerical investigation into cutting front mobility in CO_2 laser cutting

S. HINDUJA, Y. S. MA and G. BARROW — 689 Determination of the radial width of cut and cutting modes in milling

R. BHATNAGAR, N. RAMAKRISHNAN, N. K. NAIK and R. KOMANDURI — 701 On the machining of fiber reinforced plastic (FRP) composite laminates

L. L. MISHNAEVSKY, JR — 717 Mathematical modelling of wear of cemented carbide tools in cutting brittle materials

P. S. HUANG and J. NI — 725 On-line error compensation of coordinate measuring machines

A. EL-DOMIATY and M. A. SHABARA — 739 Improvement of deep drawability by radially pressurized fluid

JEHNMING LIN — 751 Inverse estimation of the tool–work interface temperature in end milling

R. T. COELHO, S. YAMADA, D. K. ASPINWALL and M. L. H. WISE — 761 The application of polycrystalline diamond (PCD) tool materials when drilling and reaming aluminium based alloys including MMC

Number 6

A. Noori-Khajavi and R. Komanduri — 775 Frequency and time domain analyses of sensor signals in drilling—I. Correlation with drill wear

A. Noori-Khajavi and R. Komanduri — 795 Frequency and time domain analyses of sensor signals in drilling—II. Investigation on some problems associated with sensor integration

G. Caprino and V. Tagliaferri — 817 Damage development in drilling glass fibre reinforced plastics

G. Caprino, V. Tagliaferri and L. Covelli — 831 Cutting glass fibre reinforced composites using CO_2 laser with multimodal–Gaussian distribution

S. M. Darwish — 841 Effect of tool bit insert-holder assembly on dimensional accuracy and geometrical tolerances of machined workpieces

Ken-Ichiro Mori, Gang Yang and Kozo Osakada — 851 Determination of optimal motion of tools in metal forming processes by controlled FEM simulation

Hong-Tzong Yau and Chia-Hsiang Menq — 861 Automated CMM path planning for dimensional inspection of dies and molds having complex surfaces

W. L. Jin, P. K. Venuvinod and X . Wang — 877 An optical fibre sensor based cutting force measuring device

Yaw-Shih Shieh and An-Chen Lee — 885 A new sampled-data drive for CNC machine tools

B. Bennani and J. Oudin — 903 Backward can extrusion of steels: effects of punch design on flow mode and void volume fraction

X. D. Fang — 913 Expert system-supported fuzzy diagnosis of finish-turning process states

Number 7

Joong-Yeon Lim and Shiro Kobayashi — 925 Process sequence design in cold extrusion to form an axisymmetric shell body

Y. S. Tarng, C. I. Cheng and J. Y. Kao — 939 Modeling of three-dimensional numerically controlled end milling operations

B. Y. Lee, Y. S. Tarng and S. C. Ma — 951 Modeling of the process damping force in chatter vibration

Sujian Huang and C. W. Bert — 963 Collapse of a tube in a single-V-groove drawing block: an approximate analysis

Kuang-Hua Fuh and Wen-Chou Chen — 975 Cutting performance of thick web drills with curved primary cutting edges

P. Di Pietro and Y. L. Yao — 993 A new technique to characterize and predict laser cut striations

M. J. Van Doren and A. Slocum — 1003 Design and implementation of a precision material handling robot control system

M. Rahman, K. H. W. Seah, X. P. Li and X. D. Zhang — 1015 A three-dimensional model of chip flow, chip curl and chip breaking under the concept of equivalent parameters

Z. J. Pei, P. M. Ferreira and M. Haselkorn — 1033 Rotary ultrasonic machining for face milling of ceramics

B. S. Yilbaş, A. Z. Şahin and R. Davies — 1047 Laser heating mechanism including evaporation process initiating laser drilling

J. S. Chen and G. Chiou — 1063 Quick testing and modeling of thermally-induced errors of CNC machine tools

1075 Book review

Number 8

E. Susič and I. Grabec — 1077 Application of a neural network to the estimation of surface roughness from AE signals generated by friction process

R. K. Chin and P. S. Steif — 1087 A computational study of strain inhomogeneity in wire drawing

Shyh-Chour Huang — 1099 Analysis of a model to forecast thermal deformation of ball screw feed drive systems

K. Kondo and K. Ohga — 1105 Precision cold die forging of a ring gear by divided flow method

D. T. Pham and E. J. Bayro-Corrochano — 1115 Neutral networks for classifying surface defects on automotive valve stem seals

M. Bayramoglu and A. W. Duffill — 1125 Manufacturing linear and circular contours using CNC EDM and frame type tools

I. N. Tansel, C. Mekdeci and C. McLaughlin — 1137 Detection of tool failure in end milling with wavelet transformations and neural networks (WT–NN)

Ee Meng Lim, Hsi-Yung Feng, Chia-Hsiang Menq and Zhi-Hang Lin — 1149 The prediction of dimensional error for sculptured surface productions using the ball-end milling process. Part 1: chip geometry analysis and cutting force prediction

Ee Meng Lim and Chia-Hsiang Menq — 1171 The prediction of dimensional error for sculptured surface productions using the ball-end milling process. Part 2: surface generation model and experimental verification

Kuang-Hua Fuh and Chih-Fu Wu — 1187 A proposed statistical model for surface quality prediction in end-milling of Al alloy

Number 9

S. C. Lin and R. J. Yang — 1201 Force-based model for tool wear monitoring in face milling

Shyr-Long Jeng, Long-Gwai Chen and Wei-Hua Chieng — 1213 Analysis of minimum clamping force

Guoqun Zhao, E. Wright and R. V. Grandhi — 1225 Forging preform design with shape complexity control in simulating backward deformation

M. Stöck — 1241 Discussion of stress distributions in rock drill heads

Ip Kee Hui and B. Ralph — 1251 A study of the initiation of the tombstoning effect on leadless chips

Min S. Hong and K. F. Ehmann — 1269 Generation of engineered surfaces by the surface-shaping system

J. G. Giménez and F. J. Nieto — 1291 A step by step approach to the dynamic behaviour of centreless grinding machines

J. E. Kaye, D.-H. Yan, N. Popplewell and S. Balakrishnan — 1309 Predicting tool flank wear using spindle speed change

A. K. Srivastava, S. C. Veldhuis and M. A. Elbestawi — 1321 Modelling geometric and thermal errors in a five-axis CNC machine tool

Number 10

J. Tamaki and T. Kitagawa — 1339 Evaluation of surface topography of metal-bonded diamond wheel utilizing three-dimensional profilometry

Ping Ji, Mingyang Ke and R. S. Ahluwalia — 1353 Computer-aided operational dimensioning for process planning

Zong-Mu Yeh, Y. S. Tarng and C. Y. Nian — 1363 A self-organizing neural fuzzy logic controller for turning operations

P. Venkateswara Rao, B. Ramamoorthy and V. Radhakrishnan — 1375 Role of interacting surfaces in the performance enhancement of interference fits

Taysir H. Nayfeh, Osama K. Eyada and John C. Duke, jr	1385	An integrated ultrasonic sensor for monitoring gradual wear on-line during turning operations
Liangchi Zhang and M. Mahdi	1397	Applied mechanics in grinding—IV. The mechanism of grinding induced phase transformation
Beom-Soo Kang, Jin-Hee Lee and Shiro Kobayashi	1411	Superplastic forging design of a jet engine disk by the finite element method
W. M. Hwang, Y. C. Hwang and S. T. Chiou	1425	A drag-link drive of mechanical presses for precision drawing
S. K. Choudhury and J. Mathew	1435	Investigations of the effect of non-uniform insert pitch on vibration during face milling
W. König, Y. Altintas and F. Memis	1445	Direct adaptive control of plunge grinding process using acoustic emission (AE) sensor
R. Kovacevic, C. Cherukuthota and M. Mazurkiewicz	1459	High pressure waterjet cooling/lubrication to improve machining efficiency in milling
K. H. W. Seah and S. C. Sharma	1475	Machinability of alloyed austempered ductile iron

Number 11

R. Balendra and Y. Qin	1481	Pressured-assisted injection forging of thick-walled tubes
K. Li and P. Sheng	1493	Plane stress model for fracture of ceramics during laser cutting
Han-Min Shi and Jane-Lin Wang	1507	A model for non-free-cutting
A. Donovan and W. Scott	1523	On-line monitoring of cutting tool wear through tribo emf analysis
R. Ye Lapovok and P. F. Thomson	1537	An approach to preform design
S. Charles Liu and S. Jack Hu	1545	An offset finite element model and its applications in predicting sheet metal assembly variation
Kuang-Hua Fuh and Chung-Shin Chang	1559	Prediction of the cutting forces for chamfered main cutting edge tools
Zhengwen Yang and H. Lippmann	1587	Asymptotic analysis of extrusion process through tapering die
	1603	Announcement

Number 12

Yuedong Chen, A. Hui and R. Du	1605	A fuzzy expert system for the design of machining operations
D. H. Wang, M. Ramulu and D. Arola	1623	Orthogonal cutting mechanisms of graphite/epoxy composite. Part I: unidirectional laminate
D. H. Wang, M. Ramulu and D. Arola	1639	Orthogonal cutting mechanisms of graphite/epoxy composite. Part II: multi-directional laminate
Yih-Fang Chang and Bor-Sen Chen	1649	A robust performance variable structure PI/P control design for high precise positioning control systems
Chih-Hao Lo, Jingxia Yuan and Jun Ni	1669	An application of real-time error compensation on a turning center
Ji Zhao, K. Saito, T. Kondo, H. Narahara, S. Igarashi, T. Sasaki and Lei Zhang	1683	A new method of automatic polishing on curved aluminium alloy surfaces at constant pressure
Y. S. Tarng, S. C. Ma and L. K. Chung	1693	Determination of optimal cutting parameters in wire electrical discharge machining